



Knowledge grows

Strawberry Crop Nutrition Fertigation Programme



Growth Stage	Planting	Vegetative Growth	Flowering	Fruit Set	Mid Fruit Growth	Fruiting / Post Harvest
YaraLiva™ YaraTera™ YaraTera™ YaraTera™ YaraTera™ Analytical Tools	CALCINIT (15.5% N 26.3% CaO) 6.25kg / 250l stock		CALCINIT (15.5% N 26.3% CaO) 5 kg / 250l stock			
	KRISTALON SCARLET (7.5-12-36) 25kg / 250l stock		KRISTALON SCARLET (7.5-12-36) 6.25kg / 250l stock			
			KRISTA K PLUS (13.7% N 46.3% K₂O) 6.25kg / 250l stock			
			KRISTA MAG (11% N 15% MgO) 6.25kg / 250l stock			
			REXOLIN Q15 (7% Fe) 3.5l / 250l stock			
Water and Substrate Analysis - to identify limiting nutrients			Tissue Analysis - to identify limiting nutrients or deficiencies			

Neutralise high bicarbonate levels in irrigation water with nitric acid (60%) to achieve optimum pH for strawberries of 5.0 - 6.2
 NEVER mix CALCINIT(calcium nitrate) in stock solution with KRISTALON or any fertilizer containing phosphate or sulphur
 Recommendations should be adjusted to baseline water nutrient levels based on analysis
 Stock solution to be diluted 1:100 with irrigation water
 ALWAYS check the pH of applied solution before feeding
 Rexolin is a Trade Mark of Akzo Nobel

Fertigation Products Analytical tools

Yara UK Ltd, Harvest House, Europarc, Grimsby, North East Lincolnshire, DN37 9TZ. Email: agronomy.uk@yara.com
 Recommendations are based on Yara's field experience and field trial results
 Disclaimer: The information contained herein is to the best of Yara's knowledge and belief, accurate.
 Recommendations may need to be amended to ensure they comply with NVZ Nmax calculations where relevant.