



Plum Crop Nutrition

Soil Applied and Foliar Programme

Knowledge grows



Growth Stage	Bud Burst	Popcorn	Petal Fall	Stone Hardening	Developing Fruit	Post Harvest
YaraMila™	COMPLEX 400-800 kg/ha applied as band					
YaraLiva™	TROPICOTE 250 kg/ha applied as band		TROPICOTE 150 kg/ha applied as band			TROPICOTE 150-300 kg/ha applied as band
YaraVita™	ZINTRAC 700 1-2 l/ha		SENIPHOS 2-5 appl'ns of 10 l/ha at 7-14 day intervals		ZINTRAC 700 1-2 l/ha	
YaraVita™	BUD BUILDER 5 - 10 l/ha		FERLEAF 100 1 l/ha repeated 3-8 times at 7-14 day intervals		BUD BUILDER 10 l/ha	
YaraVita™		BORTRAC 150 1 l/ha	MAGFLO 300 2 x 0.5 l/ha at 10-14 days	STOPIT 2 x appl'n of 10 l/ha 28 and 14 days before harvest		BORTRAC 150 1 l/ha
YaraVita™			MANTRAC PRO 2 x 1.0 l/ha at 10-14 days	FOLIAR POTASH 3 x Appl'n of 3-5 l/ha at 10-14 day intervals		FOLIAR POTASH 3-5 l/ha
Analytical Tools	Water and Substrate Analysis - to identify limiting nutrients		Tissue Analysis - to identify limiting nutrients or deficiencies			

Read label before application of any YaraVita product

Soil applied products
 Foliar applied products
 Analytical tools

Yara UK Ltd, Harvest House, Europarc, Grimsby, North East Lincolnshire, DN37 9TZ. Email: agronomy.uk@yara.com

Recommendations are based on Yara's field experience and field trial results

Disclaimer: The information contained herein is to the best of Yara's knowledge and belief, accurate.

Recommendations may need to be amended to ensure they comply with NVZ Nmax calculations where relevant.